

Productinformation SNAREDRUMS

Corps Custom Classic Drum

CORPS CUSTOM EXCLUSIVE SERIES SNAREDRUMS

Using the newest technology, we created a drum with a real "Classic" look for a traditional appearance. Available in different sizes the drums a great value, and contribute the past with modern technical specification.

CORPS CUSTOM CLASSIC DRUMS | CLASSIC APPEARANCE - MODERN TECHNOLOGY!!



TENSION RODS

Using chrome plated tensionrod the drums can be tuned very easily Together with the traditional shaped tension rings the prefect tension system is completed A classic look combined with top quality components.

Lugs

The special shaped and high pressure diecasted Zamac twin lugs stand for pure quality an exclusive design.

The lugs are fitted with bronze and chrome plated inserts. Inside the lugs you will find a special synthetic "locker" to hold the tension and avoid the rods to loosen their tension The lugs are fitted to the shell using a special synthetic underlayment to avoid the contact with the shell.

PROTECTION LEGS

SNARES

the best solution.

We ony use the best component and there fore these series we choosed for Reno Ambassador as a standard but optional you can choose for the traditional Remo Renaissance Ambassador

Top | Remo Renaissance Ambassador

DRUMHEADS

Bottom | Remo Ambassador SA

TENSIONRINGS

Special shaped and manufactured tensionhoops. Top quality tuning specs with a classic approach.

"THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS"

BOTTOM STRAINER

tuned.

UCS STRAINER | The biggest innovation insnardrum technogy!! Made out of special designed extrusion profiles precisely CC machine

This ultimate strainer gives the snare drummer the comfort of shifting the strainer during his playing activities. Besides a technical high standard it gives an ultimate in musical performance!!! Tension and height of the snares are fully adjustable. The one and only on the entire market.

10 pieces of very accurate stainless steel cable snares, for a traditional and thriling drumsound

SHELLS


FEATURES AND MODELS

.....



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!



				110		- Al	100			
Art. nr.	Size	Shell	Tensionrings	Collar	Lugs	Strainer	Snares	Tension Rods	Drumheads	Weight
CFD1412UCS08	14" x 12"	Plywood Impact			8	UCS	1	1.02	2	100
CFD1614UCS08	16" x 14"	Plywood Impact			8	UCS		-	1 - 3 -	
				(A)	5				The ultimate balance of power and	
Art. nr.	Size	Shell	Tensionrings	Collar	Lugs	Strainer	Snares	Tension Rods	Drumheads	Weigh
	1.4" 1.0"	A1 C				LICO				

				11/2		24	100		3115	
Art. nr.	Size	Shell	Tensionrings	Collar	Lugs	Strainer	Snares	Tension Rods	Drumheads	Weight
CFD1412UCS08	14" x 12"	Plywood Impact		- 4	8	UCS	1	1.5%	2	N.F.S.
CFD1614UCS08	16" x 14"	Plywood Impact			8	UCS		A	E .	The second
				0	3				The ultimate balance of power and	
Art. nr.	Size	Shell	Tensionrings	Collar	Lugs	Strainer	Snares	Tension Rods	Drumheads	Weight
AFD1412UCS08	14" x 12"	Aluforce			8	UCS				
AFD1614UCS08	16" x 14"	Aluforce			8	UCS				

Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!! LIGHT IN WEIGHT AND STRONG IN SOUND !!





INSTRUMENT DIMENSIONS & WEIGHT

Art. nr.	Instrument sizes l x w x h	Packed Sizes l x w x h	Instrument Weight	Packed Weight
CFD1412UCS08	00x00x00 cm	00x00x00 cm	000 kg	000 kg
	00x00x00 inch	00x00x00 inch	000 lbs	000 lbs
CFD1614UCS08	00x00x00 cm	00x00x00 cm	000 kg	000 kg
	00x00x00 inch	00x00x00 inch	000 lbs	000 lbs

Art. nr.	Instrument sizes l x w x h	Packed Sizes l x w x h	Instrument Weight	Packed Weight
AFD1412UCS08	00x00x00 cm	00x00x00 cm	000 kg	000 kg
	00x00x00 inch	00x00x00 inch	000 lbs	000 lbs
AFD1614UCS08	00x00x00 cm	00x00x00 cm	000 kg	000 kg
	00x00x00 inch	00x00x00 inch	000 lbs	000 lbs






COLOR OPTIONS





Plywood mpact





Vancore Nederland b.v. Tolhuswei 7a - 9 8501 ZP JOURE - The Netherlands Tel: +31 513 415127 Fax: +31 513 413038 Email: info@vancore.nl

WWW.VANCORE.COM