

**Vancore**  <sup>®</sup>  
*Worldwide Percussion*

# Product Information

## BASS DRUMS



| Corps Custom Economic Series |

## CORPS CUSTOM ECONOMIC SERIES BASSDRUMS

Based on our quality standards these series of bassdrums are a thrill to use!  
Light in weight through using less material but still functional and manufactured with a high quality standard.  
Economically priced with an extra ordinary sound.

CORPS CUSTOM ECONOMIC BASSDRUMS | GREAT VALUE FOR LESS....!

### TENSION RODS

Using chrome plated tensionrod the drums can be tuned very easily .

### DRUMHEADS

We only use the best components and fore these series we choosed oosed for Remo Ambassador Smooth White drum heads for the Big Sound powerhouse bassdrum you need!! Standard mounted on the instrument. (other options available)

“THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS”

### TENSIONRINGS

Made out of excellent crafted high pressure plywood, laquer finished and a glossy black inlay for a luxurious apperance.

### LUGS

The special shaped and high pressure die casted Zamac twin lugs stand for pure quality an exclusive design .

The lugs are fitted with bronze and chrome plated inserts. Inside the lugs you will find a special synthetic “locker” to hold the tension and avoid the rods to loosen their tension The lugs are fitted to the shell using a special synthetic underlayment to avoid the contact with the shell.

### CLAWS

The most reliable bassdrum claw on the entire market. 2.3 mm tempered steel.

High pressure stamping technolgy is used to create this sturdy and reliable high quality product

CORPS CUSTOM ECONOMIC BASSDRUMS | GREAT VALUE FOR LESS....

## SHELLS



**Plywood Impact** | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!

**Aluforce** | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!  
LIGHT IN WEIGHT AND STRONG IN SOUND!!



## COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



## FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
CEB1612	16" x 12"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	5.3 kg 11.8 lbs
CEB1812	18" x 12"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	5.6 kg 12.4 lbs
CEB2012	20" x 12"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	6.1 kg 13.5 lbs
CEB2212	22" x 12"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	6.4 kg 14.1 lbs
CEB2412	24" x 12"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	6.9 kg 15.2 lbs
CEB2612	26" x 12"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	7.6 kg 16.8 kg
CEB2812	28" x 12"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	8.1 kg 17.8 lbs
CEB1614	16" x 14"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	5.5 kg 12.0 kg
CEB1814	18" x 14"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	5.8 kg 12.8 lbs
CEB2014	20" x 14"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	6.4 kg 14.1 lbs
CEB2214	22" x 14"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	6.7 kg 14.8 lbs
CEB2414	24" x 14"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	7.3 kg 16.1 lbs
CEB2614	26" x 14"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	7.9 kg 17.3 lbs
CEB2814	28" x 14"	Plywood Impact	High Presure plywood	8	8	Remo Ambassador Smooth White	8.4 kg 18.5 lbs

FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
ATB1612E	16" x 12"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	4.8 kg 10.6 lbs
ATB1812E	18" x 12"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	5.1 kg 11.3 lbs
ATB2012E	20" x 12"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	5.6 kg 12.4 lbs
ATB2212E	22" x 12"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	5.9 kg 13.0 lbs
ATB2412E	24" x 12"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	6.4 kg 14.0 lbs
ATB2612E	26" x 12"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	7.1 kg 15.6 kg
ATB2812E	28" x 12"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	7.6 kg 16.7 lbs
ATB1614E	16" x 14"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	4.9 kg 10.9 kg
ATB1814E	18" x 14"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	5.3 kg 11.6 lbs
ATB2014E	20" x 14"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	5.9 kg 12.9 lbs
ATB2214E	22" x 14"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	6.2 kg 13.7 lbs
ATB2414E	24" x 14"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	6.8 kg 14.9 lbs
ATB2614E	26" x 14"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	7.3 kg 16.2 lbs
ATB2814E	28" x 14"	Aluforce	High Presure plywood	8	8	Remo Ambassador Smooth White	7.9 kg 17.4 lbs

**Vancore Nederland b.v.**  
 Tolhuswei 7a - 9  
 8501 ZP JOURE - The Netherlands  
 Tel: +31 513 415127  
 Fax: +31 513 413038  
 Email: info@vancore.nl

**WWW.VANCORE.COM**