

Vancore  [®]
Worldwide Percussion

Product Information

BASS DRUMS



| Corps Custom Exclusive Series |

CORPS CUSTOM EXCLUSIVE SERIES BASSDRUMS

Traditional build for a live long performance. Available with super light weight Aluforce shells or Plywood Impact wood shells. Available from 16 up to 32" in diameter and standard 12 or 14" wide depending on your choice.

CORPS CUSTOM EXCLUSIVE BASSDRUMS
EXCLUSIVITY FOR THE MOST DEMANDING TRADITIONAL DRUMLINE!

TENSION RODS

Using chrome plated tensionrod the drums can be tuned very easily



LUGS

The special shaped and high pressure die casted Zamac twin lugs stand for pure quality an exclusive design .

The lugs are fitted with bronze and chrome plated inserts. Inside the lugs you will find a special synthetic "locker" to hold the tension and avoid the rods to loosen their tension The lugs are fitted to the shell using a special synthetic underlayment to avoid the contact with the shell.



DRUMHEADS


We only use the best components and fore these series we choosed oosed for Remo Ambassador Smooth White drum heads for the Big Sound powerhouse bassdrum you need!! Standard mounted on the instrument. (other options available)

"THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS"




TENSIONRINGS

Made out of excellent crafted high pressure plywood, laquer finished and a glossy black inlay for a luxurious apperance.



CLAWS

The most reliable bassdrum claw on the entire market. 2.3 mm tempered steel. High pressure stamping technoligy is used to create this sturdy and reliable high quality product



CORPS CUSTOM EXCLUSIVE BASSDRUMS
EXCLUSIVITY FOR THE MOST DEMANDING TRADITIONAL DRUMLINE!

SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!

Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

**ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!**



COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
CXB1612	16" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	6.9 kg 15.1 lbs
CXB1812	18" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	7.1 kg 15.7 lbs
CXB2012	20" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	7.6 kg 16.8 lbs
CXB2212	22" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	7.9 kg 17.4 lbs
CXB2412	24" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	8.4 kg 18.5 lbs
CXB2612	26" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	9.1 kg 20.1 kg
CXB2812	28" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	9.0 kg 19.8 lbs
CXB3012	30" x 12"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	9.7 kg 21.4 lbs
CXB1614	16" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	6.3 kg 14.0 kg
CXB1814	18" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	6.7 kg 14.7 lbs
CXB2014	20" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	7.3 kg 16.0 lbs
CXB2214	22" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	7.6 kg 16.8 lbs
CXB2414	24" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	8.2 kg 18.0 lbs
CXB2614	26" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	8.7 kg 19.3 lbs
CXB2814	28" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	9.3 kg 20.4 lbs
CXB3014	30" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	10.0 kg 22.0 lbs
CXB3216	32" x 16"	Plywood Impact	High Pressure plywood	12	12	Remo Ambassador Smooth White	10.6 kg 23.5 lbs

DIMENSIONS & WEIGHT



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
ATB1612	16" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	5.7 kg 12.7 lbs
ATB1812	18" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	6.0 kg 13.3 lbs
ATB2012	20" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	6.5 kg 14.4 lbs
ATB2212	22" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	6.8 kg 15.0 lbs
ATB2412	24" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	7.3 kg 16.1 lbs
ATB2612	26" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	8.0 kg 17.6 kg
ATB2812	28" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	8.5 kg 18.7 lbs
ATB3012	30" x 12"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	9.2 kg 20.3 lbs
ATB1614	16" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	5.9 kg 12.9 kg
ATB1814	18" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	6.2 kg 13.7 lbs
ATB2014	20" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	6.8 kg 14.9 lbs
ATB2214	22" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	7.1 kg 15.7 lbs
ATB2414	24" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	7.7 kg 16.9 lbs
ATB2614	26" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	8.3 kg 18.2 lbs
ATB2814	28" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	8.8 kg 19.4 lbs
ATB3014	30" x 14"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	9.5 kg 21.0 lbs
ATB3216	32" x 16"	Aluforce	High Presure plywood	12	12	Remo Ambassador Smooth White	10.2 kg 22.4 lbs

Vancore Nederland b.v.

Tolhuswei 7a - 9
 8501 ZP JOURE - The Netherlands
 Tel: +31 513 415127
 Fax: +31 513 413038
 Email: info@vancore.nl