

Vancore  [®]
Worldwide Percussion

Product Information

BASS DRUMS



| Corps Custom Lite Series |

CORPS CUSTOM LITE SERIES BASSDRUMS

From 12" in diameter to 18" (10" wide) these series bassdrums completed our goal to create a line of bassdrums for the younger player. Light in weight and easy to handle. These bassdrums will fit exactly in your junior drumline.

CORPS CUSTOM LITE SERIES | DESIGNED FOR THE YOUNG MARCHING DRUMMERS!
Lite in weight great in sound!!

DRUMHEADS

We only use the best component and therefore for these series we chose for Remo Ambassador Smooth White heads for excellent projection and endurance.

"THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS"

TENSION RODS

Using chrome plated tension rods the drums can be tuned very easily. The tenors are fitted with different numbers of lugs and tension rods for optimal tuning. See technical specs.

TENSION RINGS

The triple flanged and 2.3 mm tension hoops will stand the tension you need.

LUGS

We chose carefully the light weight lugs for this series.



CORPS CUSTOM LITE SERIES | DESIGNED FOR THE YOUNG MARCHING DRUMMERS!

SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!




Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!



COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
CBL1210	12" x 10"	Plywood Impact	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.3 kg 9.5 lbs
CBL1310	13" x 10"	Plywood Impact	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.4kg 9.7 lbs
CBL1410	14" x 10"	Plywood Impact	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.6 kg 10.2 kg
CBL1510	15" x 10"	Plywood Impact	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.9 kg 10.9 lbs
CBL1612	16" x 12"	Plywood Impact	2.3 mm Steel	6	6	Remo Ambassador Smooth White	5.8 kg 12.9 lbs
CBL1812	18" x 12"	Plywood Impact	2.3 mm Steel	8	8	Remo Ambassador Smooth White	6.6 kg 14.6 lbs

Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
ATB1210L	12" x 10"	Aluforce	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.1 kg 9.1lbs
ATB1310L	13" x 10"	Aluforce	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.2 kg 9.3 lbs
ATB1410L	14" x 10"	Aluforce	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.4 kg 9.8 lbs
ATB1510L	15" x 10"	Aluforce	2.3 mm Steel	6	6	Remo Ambassador Smooth White	4.6 kg 10.2 lbs
ATB1612L	16" x 12"	Aluforce	2.3 mm Steel	6	6	Remo Ambassador Smooth White	5.3 kg 11.7 lbs
ATB1812L	18" x 12"	Aluforce	2.3 mm Steel	8	8	Remo Ambassador Smooth White	6.1 kg 13.5 lbs





Vancore Nederland b.v.

Tolhuswei 7a - 9

8501 ZP JOURE - The Netherlands

Tel: +31 513 415127

Fax: +31 513 413038

Email: info@vancore.nl

WWW.VANCORE.COM