

Vancore  [®]
Worldwide Percussion

Product Information

BASS DRUMS



| Corps Custom Standard Series |

CORPS CUSTOM STANDARD SERIES BASSDRUMS

Traditional build for a live long performance.
Light in weight, beautiful in design, strong in construction but on top of all Great in sound and projection

CORPS CUSTOM STANDARD BASSDRUMS | TOPQUALITY AS A STANDARD!

DRUMHEADS

We only use the best components and for these series we chose oosed for Remo Ambassador Smooth White drum heads for the Big Sound powerhouse bassdrum you need!! Standard mounted on the instrument. (other options available)

“THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS”

TENSION RODS

Using chrome plated tensionrod the drums can be tuned very easily

TENSIONRINGS

Made out of excellent crafted high presure plywood, laquer finished and a glossy black inlay for a luxurious apperance.

LUGS

The special shaped and high pressure die casted Zamac twin lugs stand for pure quality an exclusive design .

The lugs are fitted with bronze and chrome plated inserts. Inside the lugs you will find a special synthetic “locker” to hold the tension and avoid the rods to loosen their tension The lugs are fitted to the shell using a special synthetic underlayment to avoid the contact with the shell.

CLAWS

The most reliable bassdrum claw on the entire market. 2.3 mm tempered steel.

High pressure stamping technoligy is used to create this sturdy and reliable high quality product

CORPS CUSTOM STANDARD BASSDRUMS | TOPQUALITY AS A STANDARD

SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!

Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

**ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!**




COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
CCB1612	16" x 12"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	5.8 kg 12.8 lbs
CCB1812	18" x 12"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	6.1 kg 13.4 lbs
CCB2012	20" x 12"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	6.6 kg 14.5 lbs
CCB2212	22" x 12"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	6.8 kg 15.1 lbs
CCB2412	24" x 12"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	7.3 kg 16.1 lbs
CCB2612	26" x 12"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	8.0 kg 17.7 kg
CCB2812	28" x 12"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	8.5 kg 18.8 lbs
CCB1614	16" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	5.9 kg 13.0 kg
CCB1814	18" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	6.2 kg 13.7 lbs
CCB2014	20" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	6.8 kg 15.0 lbs
CCB2214	22" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	7.2 kg 15.8 lbs
CCB2414	24" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	7.7 kg 17.0 lbs
CCB2614	26" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	8.3 kg 18.3 lbs
CCB2814	28" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	8.8 kg 19.5 lbs
CCB3014	30" x 14"	Plywood Impact	High Presure plywood	10	10	Remo Ambassador Smooth White	9.6 kg 21.1 lbs



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
ATB1612C	16" x 12"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	5.3 kg 11.7 lbs
ATB1812C	18" x 12"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	5.6 kg 12.3 lbs
ATB2012C	20" x 12"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	6.1 kg 13.4 lbs
ATB2212C	22" x 12"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	6.3 kg 14.0 lbs
ATB2412C	24" x 12"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	6.8 kg 15.0 lbs
ATB2612C	26" x 12"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	7.5 kg 16.6 kg
ATB2812C	28" x 12"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	8.0 kg 17.7 lbs
ATB1614C	16" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	5.4 kg 11.9 kg
ATB1814C	18" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	5.7 kg 12.6 lbs
ATB2014C	20" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	6.3 kg 13.9 lbs
ATB2214C	22" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	6.7 kg 14.7 lbs
ATB2414C	24" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	7.2 kg 15.9 lbs
ATB2614C	26" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	7.8 kg 17.2 lbs
ATB2814C	28" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	8.3 kg 18.4 lbs
ATB3014C	30" x 14"	Aluforce	High Pressure plywood	10	10	Remo Ambassador Smooth White	9.1 kg 20.0 lbs

Vancore Nederland b.v.

Tolhuswei 7a - 9
 8501 ZP JOURE - The Netherlands
 Tel: +31 513 415127
 Fax: +31 513 413038
 Email: info@vancore.nl