

**Vancore** 

*Worldwide Percussion*

Product information  
**SNARE DRUMS**



Corps Custom Standard Series

## CORPS CUSTOM STANDARD SERIES SNAREDRUMS

Not just a standard line of snaredrums... Build as top standard quality instruments these magnificent series of instruments stand for a great performance and extra ordinary look.

CORPS CUSTOM STANDARD SERIES | TOP QUALITY AS A STANDARD!!

### TENSION RODS

Using chrome plated tensionrod the drums can be tunes very easily

### LUGS

The special shaped and high pressure diecasted Zamac twin lugs stand for pure quality an exclusive design .

The lugs are fitted with bronze and chrome plated inserts. Inside the lugs you will find a special synthetic "locker" to hold the tension and avoid the rods to loosen their tension

The lugs are fitted to the shell using a special syntetic underlayment to avoid the contact with the shell.

### SNARES

Top | Using wire snares (20 strands) the available snare systems stand for the most crispy and accurate sound available.

Bottom | Depending on model of strainer:

XS - 20 strands wiresnare high quality standard

UCS - 10 pieces of very accurate stainless steel cable snares

### PROTECTION BRACKETS

To protect the different snarestrainers and tensionhoops when putting the drum on the floor, a set of 2 solid chrome plated brackets are mounted on the drum.

### DRUMHEADS

We only use the best component and there fore these series we choosed for Reno Ambassador Smooth White as a standard but optional you can choose for White Max or Cybermax drumhead.

Top | Remo Ambassador Smooth White

Bottom | Depending on snarestrainer  
XS: Remo Ambassador TD  
UCS: Remo Ambassador SA

"THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS"

### TENSIONRINGS

Made out of special aluminium alloy. Focused on strength and durability. Precisely CC machined, mirror finished and available in different finishes.

Just the best quality available on the entire market

### TOP STRAINER

Easy to handle and fully adjustable, both height and snare tensioning.

CC machined components like Delrin and special high quality anodized aluminium completes the strainer are the absolute top level available. Reliable and functional for the extreme demands in sound and function.

### BOTTOM STRAINER | Two different models to choose from

**XS STRAINER** | The External Strainer is made out of high quality components, and completely CC Machined. The mechanism works outside the shell. No internal material is uses inside the shell. The shell can just do where it is made for! The XS snarestrainer is fully adjustable in both height and snare tension. Beside that the height of the strainer can be fully compensates when you tension up the bottom tension ring. Of course CC technology is used in manufacturing this excellent strainer.

**UCS STRAINER** | The biggest innovation insnaredrum tecnogy!! Made out of special designed extrusion profiles precisely CC machine tuned.

This ultimate strainer gives the snare drummer the comfort of shifting the strainer during his playing activities. Besides a technical high standard it gives an ultimate in musical performance!!!

Tension and height of the snares are fully adjustable.

The one and only on the entire market.

CORPS CUSTOM STANDARD SERIES | TOP QUALITY AS A STANDARD!!

## SHELLS



**Plywood Impact** | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!

**Aluforce** | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!  
LIGHT IN WEIGHT AND STRONG IN SOUND!!



## COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



## FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Strainer	Top Wires	Bottom Wires	Tension Rods	Drumheads	Weight
CCS1406XS10	14"x 6,5"	Plywood Impact	CC Machined High Grade Aluminum	10	XS		Steel Wires	10	Remo Ambassador Smooth White	4.8 kg 10.6 lbs
CCS1410XS10	14"x10"	Plywood Impact	CC Machined High Grade Aluminum	10	XS		Steel Wires	10	Remo Ambassador Smooth White	5.5 kg 12.2 lbs
CCS1412XS10	14"x12"	Plywood Impact	CC Machined High Grade Aluminum	10	XS		Steel Wires	10	Remo Ambassador Smooth White	5.8 kg 12.7 lbs
CCS1406XS/TS10	14"x 6,5"	Plywood Impact	CC Machined High Grade Aluminum	10	XS / TS	Steel Wires	Steel Wires	10	Remo Ambassador Smooth White	5.6 kg 12.3 lbs
CCS1410XS/TS10	14"x10"	Plywood Impact	CC Machined High Grade Aluminum	10	XS / TS	Steel Wires	Steel Wires	10	Remo Ambassador Smooth White	6.3 kg 13.8 lbs
CCS1412XS/TS10	14"x12"	Plywood Impact	CC Machined High Grade Aluminum	10	XS / TS	Steel Wires	Steel Wires	10	Remo Ambassador Smooth White	6.5 kg 14.4 lbs
CCS1406UCS10	14"x 6,5"	Plywood Impact	CC Machined High Grade Aluminum	10	UCS		Cable Wires	10	Remo Ambassador Smooth White	4.8 kg 10.6 lbs
CCS1410UCS10	14"x10"	Plywood Impact	CC Machined High Grade Aluminum	10	UCS		Cable Wires	10	Remo Ambassador Smooth White	5.5 kg 12.2 lbs
CCS1412UCS10	14"x12"	Plywood Impact	CC Machined High Grade Aluminum	10	UCS		Cable Wires	10	Remo Ambassador Smooth White	5.8 kg 12.7 lbs
CCS1406UCT10	14"x 6,5"	Plywood Impact	CC Machined High Grade Aluminum	10	UCT	Steel Wires	Cable Wires	10	Remo Ambassador Smooth White	5.6 kg 12.3 lbs
CCS1410UCT10	14"x10"	Plywood Impact	CC Machined High Grade Aluminum	10	UCT	Steel Wires	Cable Wires	10	Remo Ambassador Smooth White	6.3 kg 13.8 lbs
CCS1412UCT10	14"x12"	Plywood Impact	CC Machined High Grade Aluminum	10	UCT	Steel Wires	Cable Wires	10	Remo Ambassador Smooth White	6.5 kg 14.4 lbs

**INSTRUMENT DIMENSIONS & WEIGHT**



Art. nr.	Size	Shell	Tensionrings	Lugs	Strainer	Top Wires	Bottom Wires	Tension Rods	Drumheads	Weight
ATS1406XS10	14"x 6,5"	Aluforce	CC Machined High Grade Aluminum	10	XS		Steel Wires	10	Remo Ambassador Smooth White	4.6 kg 10.1 lbs
ATS1410XS10	14"x10"	Aluforce	CC Machined High Grade Aluminum	10	XS		Steel Wires	10	Remo Ambassador Smooth White	5.3 kg 11.6 lbs
ATS1412XS10	14"x12"	Aluforce	CC Machined High Grade Aluminum	10	XS		Steel Wires	10	Remo Ambassador Smooth White	5.5 kg 12.2 lbs
ATS1406XS/TS10	14"x 6,5"	Aluforce	CC Machined High Grade Aluminum	10	XS / TS	Steel Wires	Steel Wires	10	Remo Ambassador Smooth White	5.3 kg 11.8 lbs
ATS1410XS/TS10	14"x10"	Aluforce	CC Machined High Grade Aluminum	10	XS / TS	Steel Wires	Steel Wires	10	Remo Ambassador Smooth White	6.0 kg 13.3 lbs
ATS1412XS/TS10	14"x12"	Aluforce	CC Machined High Grade Aluminum	10	XS / TS	Steel Wires	Steel Wires	10	Remo Ambassador Smooth White	6.3 kg 13.8 lbs
ATS1406UCS10	14"x 6,5"	Aluforce	CC Machined High Grade Aluminum	10	UCS		Cable Wires	10	Remo Ambassador Smooth White	4.6 kg 10.1 lbs
ATS1410UCS10	14"x10"	Aluforce	CC Machined High Grade Aluminum	10	UCS		Cable Wires	10	Remo Ambassador Smooth White	5.3 kg 11.6 lbs
ATS1412UCS10	14"x12"	Aluforce	CC Machined High Grade Aluminum	10	UCS		Cable Wires	10	Remo Ambassador Smooth White	5.5 kg 12.2 lbs
ATS1406UCT10	14"x 6,5"	Aluforce	CC Machined High Grade Aluminum	10	UCT	Steel Wires	Cable Wires	10	Remo Ambassador Smooth White	5.3 kg 11.8 lbs
ATS1410UCT10	14"x10"	Aluforce	CC Machined High Grade Aluminum	10	UCT	Steel Wires	Cable Wires	10	Remo Ambassador Smooth White	6.0 kg 13.3 lbs
ATS1412UCT10	14"x12"	Aluforce	CC Machined High Grade Aluminum	10	UCT	Steel Wires	Cable Wires	10	Remo Ambassador Smooth White	6.3 kg 13.8 lbs





**Vancore Nederland b.v.**  
Tolhuswei 7a - 9  
8501 ZP JOURE - The Netherlands  
Tel: +31 513 415127  
Fax: +31 513 413038  
Email: [info@vancore.nl](mailto:info@vancore.nl)

**WWW.VANCORE.COM**