


Vancore 

Worldwide Percussion

Product Information

BASS DRUMS



| Caribbean Band Series |

CARIBBEAN BAND SERIES BASSDRUMS

Based on our quality standards these series of bassdrums are a thrill to use!
Light in weight through using less material but still functional and manufactured with a high quality standard.
Economically priced with an extra ordinary sound.

YOU JUST CAN STAND THE POWER.... FEEL THE BIG BANG!!

TENSION RODS

Using chrome plated tensionrod the drums can be tuned very easily .



LUGS

The special shaped and high pressure die casted Zamac twin lugs stand for pure quality an exclusive design .

The lugs are fitted with bronze and chrome plated inserts. Inside the lugs you will find a special synthetic "locker" to hold the tension and avoid the rods to loosen their tension
The lugs are fitted to the shell using a special synthetic underlayment to avoid the contact with the shell.



DRUMHEADS


We only use the best components and therefore these series we choosed for Remo Pinstripe Bassdrumheads. For even more low and tonal projection you might choose for the thrilling Power-max drumheads.

"THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS"



TENSIONRINGS

Made out of excellent crafted high pressure plywood, laquer finished and a glossy black inlay for a luxurious apperance.



CLAWS

The most reliable bassdrum claw on the entire market. 2.3 mm tempered steel.
High pressure stamping technology is used to create this sturdy and reliable high quality product



YOU JUST CAN STAND THE POWER.... FEEL THE BIG BANG!!



SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!

Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!



COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
CEB1614	16" x 14"	Plywood Impact	High Pressure plywood	8	8	Remo Pinstripe	5.5 kg 12.0 kg
CEB1814	18" x 14"	Plywood Impact	High Pressure plywood	8	8	Remo Pinstripe	5.8 kg 12.8 lbs
CEB2014	20" x 14"	Plywood Impact	High Pressure plywood	8	8	Remo Pinstripe	6.4 kg 14.1 lbs
CEB2214	22" x 14"	Plywood Impact	High Pressure plywood	8	8	Remo Pinstripe	6.7 kg 14.8 lbs
CEB2414	24" x 14"	Plywood Impact	High Pressure plywood	8	8	Remo Pinstripe	7.3 kg 16.1 lbs
CEB2614	26" x 14"	Plywood Impact	High Pressure plywood	8	8	Remo Pinstripe	7.9 kg 17.3 lbs
CEB2814	28" x 14"	Plywood Impact	High Pressure plywood	8	8	Remo Pinstripe	8.4 kg 18.5 lbs
CXB3014	30" x 14"	Plywood Impact	High Pressure plywood	12	12	Remo Pinstripe	10.0 kg 22.0 lbs
CXB3216	32" x 16"	Plywood Impact	High Pressure plywood	12	12	Remo Pinstripe	10.6 kg 23.5 lbs



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
ATB1614E	16" x 14"	Aluforce	High Pressure plywood	8	8	Remo Pinstripe	4.9 kg 10.9 kg
ATB1814E	18" x 14"	Aluforce	High Pressure plywood	8	8	Remo Pinstripe	5.3 kg 11.6 lbs
ATB2014E	20" x 14"	Aluforce	High Pressure plywood	8	8	Remo Pinstripe	5.9 kg 12.9 lbs
ATB2214E	22" x 14"	Aluforce	High Pressure plywood	8	8	Remo Pinstripe	6.2 kg 13.7 lbs
ATB2414E	24" x 14"	Aluforce	High Pressure plywood	8	8	Remo Pinstripe	6.8 kg 14.9 lbs
ATB2614E	26" x 14"	Aluforce	High Pressure plywood	8	8	Remo Pinstripe	7.3 kg 16.2 lbs
ATB2814E	28" x 14"	Aluforce	High Pressure plywood	8	8	Remo Pinstripe	7.9 kg 17.4 lbs
ATB3014	30" x 14"	Aluforce	High Pressure plywood	12	12	Remo Pinstripe	9.5 kg 21.0 lbs
ATB3216	32" x 16"	Aluforce	High Pressure plywood	12	12	Remo Pinstripe	10.2 kg 22.4 lbs



Vancore Nederland b.v.
Tolhuswei 7a - 9
8501 ZP JOURE - The Netherlands
Tel: +31 513 415127
Fax: +31 513 413038
Email: info@vancore.nl

WWW.VANCORE.COM