

Vancore 

Worldwide Percussion

Product information

TENOR DRUMS



Caribbean Band Series

CARIBBEAN BAND SERIES TENOR DRUMS

These tenordrums are built for strenght and solid construction. Solid alluminum lugs together with 2.3 mm tension hoops and stainless stell tension rods are taking care of the tuning of the powerhouse tenordrums. The drums are single headed and are available id different sizes.

CARIBIAN TENORS ...

TRY THEM, FEEL THEM AND COMPLETE YOUR CARIBBEAN RHYTHM SECTION.



DRUMHEADS

We only use the best components and there fore in these series we choose for Remo Pinstripe head for the real caribbean tenorsound you

"THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS"


TENSIONRINGS

The tripple flanged and 2.3. mm tensionhoops will stand the tension you need. Special shaped for optimal projection and non distructable.




TENSION RODS

Using stainless steel stension rods the drums can be tuned very easily
The tenors are fitted with different numbers of lugs and tensionrods for optimal tuning
See technical specs.



LUGS

The solid lugs made out of solid aluminium guarantee a live time operation without breaking even during extreme tension.
The lugs are attached to the shell together with an black synthetic underlayment with stainless steel fasteners.



TRY THEM, FEEL THEM AND COMPLETE YOUR CARIBBEAN RHYTHM SECTION

SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!



Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!



COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
UTD1210	12" x 10"	Plywood Impact	2.3 mm steel	8	8	Remo Pinstripe	2.4 kg 5.4 lbs
UTD1212	12" x 12"	Plywood Impact	2.3 mm steel	8	8	Remo Pinstripe	2.5 kg 5.5 lbs
UTD1410	14" x 10"	Plywood Impact	2.3 mm steel	8	8	Remo Pinstripe	2.7 kg 5.9 lbs
UTD1412	14" x 12"	Plywood Impact	2.3 mm steel	8	8	Remo Pinstripe	2.9 kg 6.5 lbs
UTD1614	16" x 14"	Plywood Impact	2.3 mm steel	8	8	Remo Pinstripe	3.4 kg 7.5 lbs
UTD1616	16" x 16"	Plywood Impact	2.3 mm steel	8	8	Remo Pinstripe	3.6 kg 7.8 lbs



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
ATD1210	12" x 10"	Aluforce	2.3 mm steel	8	8	Remo Pinstripe	2.2 kg 4.8 lbs
ATD1212	12" x 12"	Aluforce	2.3 mm steel	8	8	Remo Pinstripe	2.2 kg 4.8 lbs
ATD1410	14" x 10"	Aluforce	2.3 mm steel	8	8	Remo Pinstripe	2.4 kg 5.4 lbs
ATD1412	14" x 12"	Aluforce	2.3 mm steel	8	8	Remo Pinstripe	2.7 kg 5.9 lbs
ATD1614	16" x 14"	Aluforce	2.3 mm steel	8	8	Remo Pinstripe	3.2 kg 7.0 lbs
ATD1616	16" x 16"	Aluforce	2.3 mm steel	8	8	Remo Pinstripe	3.3 kg 7.2 lbs



Vancore Nederland b.v.

Tolhuswei 7a - 9

8501 ZP JOURE - The Netherlands

Tel: +31 513 415127

Fax: +31 513 413038

Email: info@vancore.nl

WWW.VANCORE.COM