

Vancore 

Worldwide Percussion

Product information

SNAREDRUMS



| Ultimate Pipeband Series |

ULTIMATE PIPEBAND SERIES SNAREDRUMS

The UPS series snare drums are built as a freefloating concept. The unique construction where the drumhead is tensioned between the aluminium collar and the tensioning ring.

Both components are precisely CC machined and stand for an extraordinary strong construction. The only tension limit is the strength of your drumhead. The drums fitted with special tube lugs to tension the bottom head equipped with strong chrome plated inserts and are completed with an Aluforce or Plywood Impact drumshell optimum of protection and a sound which is as strong and crispy sound. Just one step ahead in construction, sound and features. This is the world class sidedrum to choose for.

ULTIMATE PIPEBAND SERIES | JUST DESIGNED AND MANUFACTURED TO BEAT THE BEST!!

!!

TENSION RODS

The drums are fitted with 12 stainless steel tension rods (M6X 1,5) for durability and strength to stand the high tension suitable for these drums, creating the sound / tension you need.

COLLAR

Made out of special aluminium alloy. Focused on strength and durability. Precisely CC machined to create just the best construction for both bearing edge and extreme high tension. The collar just stands for quality and a lifetime durability. To adapt the drum to a carrier we choose the collar to be attached to the adaptor for a strong connection between carrier and drum.

LUGS

12 aluminium tube lugs are used to complete the freefloating concept. The tube lugs do have strong and precisely manufactured chrome plated inserts to create the extreme and accurate tension you need for this most outstanding Pipeband side drum.

PROTECTION BRACKETS

To protect the different snarestrainers and tensionhoops when putting the drum on the floor, a set of 2 solid chrome plated brackets are mounted on the drum.

SNARES

Top | We searched for the best available on the market and found it!! A 30 strands top handcrafted wirepackage is used for this snare drum. It will guarantee the specific sound you need for Pipes and Drums

Bottom | A 20 strands wire snare of high quality standard is used to complete the top and bottom snare section.

DRUMHEADS

We only use the best component and therefore for these series we chose for Remo Cybermax drumhead.

Top | Remo Cybermax

Bottom | UCT: Remo Ambassador TD

“THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS”

TENSION RINGS


Made out of special aluminium alloy. Focused on strength and durability. Precisely CC machined, mirror finished and available in different finishes. Just the best quality available on the entire market.

TOP STRAINER

Easy to handle and fully adjustable, both height and snare tensioning. CC machined components like Delrin and special high quality anodized aluminium complete the strainer are the absolute top level available. Reliable and functional for the extreme demands in sound and function.

BOTTOM STRAINER

This high quality component is used for these drums. Existing out of an aluminium extrusion sliding profile it stands for accurate tuning of the bottom snares height and snare tension is adjustable.



ULTIMATE PIPEBAND SERIES | JUST DESIGNED AND MANUFACTURED TO BEAT THE BEST!!

SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!



Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!



COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Collar	Lugs	Strainer	Snares	Tension Rods	Drumheads	Weight
UPS1210 UCT	12"x10"	Plywood Impact	CC Machined High grade Aluminum		10	UCT	Steel Wires	10	Remo Falam Cybermax	5,8 kg 12.8 lbs
UPS1310 UCT	13"x10"	Plywood Impact	CC Machined High grade Aluminum		12	UCT	Steel Wires	12	Remo Falam Cybermax	6,2 kg 13.6 lbs
UPS1412 UCT	14"x12"	Plywood Impact	CC Machined High grade Aluminum		12	UCT	Steel Wires	12	Remo Falam Cybermax	7,1 kg 15.5 lbs



Art. nr.	Size	Shell	Tensionrings	Collar	Lugs	Strainer	Snares	Tension Rods	Drumheads	Weight
APS1210 UCT	12"x10"	Aluforce	CC Machined High grade Aluminum		10	UCT	Steel Wires	10	Remo Falam Cybermax	5,6 kg 12.4 lbs
APS1310 UCT	13"x10"	Aluforce	CC Machined High grade Aluminum		12	UCT	Steel Wires	12	Remo Falam Cybermax	6,0 kg 13.2 lbs
APS1412 UCT	14"x12"	Aluforce	CC Machined High grade Aluminum		12	UCT	Steel Wires	12	Remo Falam Cybermax	6,9 kg 15.1 lbs



Vancore Nederland b.v.

Tolhuswei 7a - 9

8501 ZP JOURE - The Netherlands

Tel: +31 513 415127

Fax: +31 513 413038

Email: info@vancore.nl

WWW.VANCORE.COM