

Vancore 

Worldwide Percussion

Product Information

BASS DRUMS



| Ultimate Tension Series |

ULTIMATE TENSION SERIES BASSDRUMS

A traditional build instrument with a focus on the big sound of these thrilling instruments. Solid aluminum lugs together with sturdy 2.3 mm claws and a powerhouse drumshell. These bassdrums will give every marching bassdrummer a thrill on the field.

UTB SERIES BASSDRUMS | AN ULTIMATE POWERHOUSE ITSELF!

DRUMHEADS

We only use the best components and for these series we chose coated for Remo Ambassador Smooth White drum heads for the Big Sound powerhouse bassdrum you need!! Standard mounted on the instrument. (other options available)

“THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS”

TENSION RODS

The drums are fitted with stainless steel tension rods (M6X 1,5) for durability and strength to stand the high tension suitable for these drums, creating the sound /tension you need.

TENSION RINGS

Made out of excellent crafted high pressure plywood, laquer finished and a glossy black inlay for a luxurious appearance

LUGS

These solid lugs made out of aluminum ST 28 guarantee a lifetime operation without breaking even during extreme tension. The lugs are attached to the shell together with a black synthetic underlayment with stainless steel fasteners.

On every size from 16- 32 “we used 12 pcs of this outstanding quality part.

CLAWS

The most reliable bassdrum claw on the entire market. 2.3 mm tempered steel.

High pressure stamping technology is used to create this sturdy and reliable high quality product

UTB SERIES BASSDRUMS | AN ULTIMATE POWERHOUSE ITSELF!

SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!

Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!



COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
UTB 1614	16" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	7,1 kg 15.7 lbs
UTB 1814	18" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	7,5 kg 16.5 lbs
UTB 2014	20" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	8,0 kg 17.7 lbs
UTB 2214	22" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	8,4 kg 18.4 lbs
UTB 2414	24" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	8,9 kg 19.7 lbs
UTB 2614	26" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	9,5 kg 21.0 lbs
UTB 2814	28" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	10,0 kg 22.1 lbs
UTB 3014	30" x 14"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	10,8 kg 23.7 lbs
UTB 3216	32" x 16"	Plywood Impact	High presure plywood	12	12	Remo Ambassador Smooth White	11,5 kg 24.4 lbs



Art. nr.	Size	Shell	Tensionrings	Lugs	Tension Rods	Drumheads	Weight
AFB 1614	16" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	6,2 kg 13.7 lbs
AFB 1814	18" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	6,5 kg 14.4 lbs
AFB 2014	20" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	7,1 kg 15.7 lbs
AFB 2214	22" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	7,5 kg 16.5 lbs
AFB 2414	24" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	8,0 kg 17.7 lbs
AFB 2614	26" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	8,6 kg 18.9 lbs
AFB 2814	28" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	9,1 kg 20.1 lbs
AFB 3014	30" x 14"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	9,9 kg 21.7 lbs
AFB 3216	32" x 16"	Aluforce	High presure plywood	12	12	Remo Ambassador Smooth White	10,5 kg 23.2 lbs



Vancore Nederland b.v.

Tolhuswei 7a - 9

8501 ZP JOURE - The Netherlands

Tel: +31 513 415127

Fax: +31 513 413038

Email: info@vancore.nl

WWW.VANCORE.COM