

Vancore 

Worldwide Percussion

Product information

SNARE DRUMS



| Ultimate Tension Series |

ULTIMATE TENSION SERIES SNAREDRUMS

The UTS series are build as a free floating concept. The unique construction where the drumhead is tensioned between the aluminium collar and the tension ring. Both components are precisely CC machined and stand for an extra ordinary strong construction.

The only tension limit is the strength of your drumhead. The drums fitted with special tube lugs to tension the bottom head equipped with strong chrome plated inserts and are completed with an Aluforce or Plywood Impact drum shell optimum of protection and a sound which is as strong and crispy sound . Just one step ahead in construction, sound and features. This is the powerhouse to choose for.

ULTIMATE TENSION SERIES SNAREDRUMS | ALWAYS ONE STEP AHEAD!!

TENSION RODS

The drums are fitted with 12 stainless steel tension rods (M6X 1,5) for durability and strength to stand the high tension suitable for these drums, creating the sound / tension you need.

COLLAR

Made out of special aluminium alloy. Focused on strength and durability. Precisely CC machined to create just the best construction for both bearing edge and extreme high tension.

The collar just stand for quality and a life time durability. To adapt the drum to a carrier we choose the collar to attached the adaptor for a strong connection between carrier an drum.

LUGS

12 aluminum tubelugs are used to complete the freefloating concept. The tube lugs do have strong and precisely manufactured chrome plated inserts to create the extreme and accurate tension you need for this most outstanding drum.

PROTECTION BRACKETS

To protect the different snarestrainers and tensionhoops when putting the drum on the floor, a set of 2 solid chrome plated brackets are mounted on the drum.

SNARES

Top | Using wire snares (20 strands) the available snare systems stand for the most crispy and accurate sound available.

Bottom | Depending on model of strainer:
TO - 20 synthetic gut tone snares
UCS - 10 pieces of very accurate stainless steel cable snares

DRUMHEADS

We only use the best component and there fore these series we choosed for Remo Falam Series as a standard but optional you can choose for White/Black Max or Cybermax drumhead.

Top | Remo Falam Series

Bottom | Depending on snarestrainer
TO: Remo Ambassador TD
UCS: Remo Ambassador SA

“THE BEST DRUMS NEED ONLY THE BEST AVAILABLE DRUMHEADS”

TENSIONRINGS

Made out of special aluminium alloy. Focused on strength and durability. Precisely CC machined, mirror finished and available in different finishes. Just the best quality available on the entire market.

TOP STRAINER

For using the drum with our without snares we created the most sophisticated top strainer Easy to handle and fully adjustable, both height and snare tensioning. CC machined components like Delrin and special high quality anodized aluminium the strainer are the absolute top level available.

BOTTOM STRAINER | Two different models to choose from

TO STRAINER | This Throw off strainer is very sturdy and specific The strainer is mounted on the tubes lugs of our UTS series, to avoid contact with the shell. Both height and tension and snare height are fully adjustable over a large range. On top of that the snare can be precisely tuned individually.

UCS STRAINER | The biggest innovation insnaredrum technogy!! Made out of special designed extrusion profiles precisely CC machine tuned. This ultimate strainer gives the snare drummer the comfort of shifting the strainer during his playing activities. Besides a technical high standard it gives an ultimate in musical performance!!! Tension and height of the snares are fully adjustable. The one and only on the entire market.

ULTIMATE TENSION SERIES SNAREDRUMS | ALWAYS ONE STEP AHEAD!!

SHELLS



Plywood Impact | A 4mm 6-ply wooden shell made out of a combination of beech and occume. Both wood species which are the basics of light and strong drums shell.

PLYWOOD IMPACT | THE HEARTBEAT OF YOUR DRUM!!

Aluforce | Precisely CC bended and welded aluminium shells made out of a special 1.5 mm aluminium sheet material. Extremely light in weight with an excellent performance in sound and durability.

**ALUFORCE IT JUST SAYS WHERE IT STANDS FOR!!
LIGHT IN WEIGHT AND STRONG IN SOUND!!**



COLOR OPTIONS

“Various Shell and Hardware colour finishes available, please ask for colour charts!”



FEATURES AND MODELS



Art. nr.	Size	Shell	Tensionrings and Collar	Lugs	Strainer	Top-wires	Bottom-wires	Tension Rods	Drum-heads	Weight
UTS1210TO	12x10	Plywood Impact	CC Machined High grade aluminum	10	TO		Synthetic guttone	10	Remo Falam	6,2 kg 13.6 lbs
UTS1310TO	13x10	Plywood Impact	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	6,6 kg 14.5 lbs
UTS1406TO	14x6.5	Plywood Impact	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	6,6 kg 14.6 lbs
UTS1410TO	14x10	Plywood Impact	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	7,1 kg 15.7 lbs
UTS1412TO	14x12	Plywood Impact	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	7,4 kg 16.4 lbs
UTS1210TO/TS	12x10	Plywood Impact	CC Machined High grade aluminum	10	TO / TS	Steel Wires	Synthetic guttone	10	Remo Falam	6,9 kg 15.2 lbs
UTS1310TO/TS	13x10	Plywood Impact	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	7,3 kg 16.1 lbs
UTS1406TO/TS	14x6.5	Plywood Impact	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	7,4 kg 16.3 lbs
UTS1410TO/TS	14x10	Plywood Impact	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	7,9 kg 17.4 lbs
UTS1412TO/TS	14x12	Plywood Impact	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	8,2 kg 18.0 lbs
UTS1210UCS	12x10	Plywood Impact	CC Machined High grade aluminum	10	UCS		Stainless steel cable	10	Remo Falam	5,6 kg 12.3 lbs
UTS1310UCS	13x10	Plywood Impact	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	6,0 kg 13.2 lbs
UTS1406UCS	14x6.5	Plywood Impact	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	6,0 kg 13.3 lbs
UTS1410UCS	14x10	Plywood Impact	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	6,5 kg 14.4 lbs
UTS1412UCS	14x12	Plywood Impact	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	6,8 kg 15.1 lbs
UTS1210UCT	12x10	Plywood Impact	CC Machined High grade aluminum	10	UCT	Steel Wires	Stainless steel cable	10	Remo Falam	6,3 kg 14.0 lbs
UTS1310UCT	13x10	Plywood Impact	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	6,7 kg 14.8 lbs
UTS1406UCT	14x6.5	Plywood Impact	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	6,8 kg 15 lbs
UTS1410UCT	14x10	Plywood Impact	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	7,3 kg 16.1 lbs
UTS1412UCT	14x12	Plywood Impact	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	7,6 kg 16.8 lbs



Art. nr.	Size	Shell	Tensionrings and Collar	Lugs	Strainer	Top-wires	Bottom-wires	Tension Rods	Drum-heads	Weight
AFS1210TO	12x10	Aluforce	CC Machined High grade aluminum	10	TO		Synthetic guttone	10	Remo Falam	6.0 kg 13.2 lbs
AFS1310TO	13x10	Aluforce	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	6.4 kg 14.0 lbs
AFS1406TO	14x6.5	Aluforce	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	6,4 kg 14.2 lbs
AFS1410TO	14x10	Aluforce	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	6.9 kg 15.2 lbs
AFS1412TO	14x12	Aluforce	CC Machined High grade aluminum	12	TO		Synthetic guttone	12	Remo Falam	7,2 kg 15.9 lbs
AFS1210TO/TS	12x10	Aluforce	CC Machined High grade aluminum	10	TO / TS	Steel Wires	Synthetic guttone	10	Remo Falam	6,7 kg 14.8 lbs
AFS1310TO/TS	13x10	Aluforce	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	7,1 kg 15.7 lbs
AFS1406TO/TS	14x6.5	Aluforce	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	7,2 kg 15.8 lbs
AFS1410TO/TS	14x10	Aluforce	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	7,7 kg 16.9 lbs
AFS1412TO/TS	14x12	Aluforce	CC Machined High grade aluminum	12	TO / TS	Steel Wires	Synthetic guttone	12	Remo Falam	8,0 kg 17.6 lbs
AFS1210UCS	12x10	Aluforce	CC Machined High grade aluminum	10	UCS		Stainless steel cable	10	Remo Falam	5,4 kg 11.9 lbs
AFS1310UCS	13x10	Aluforce	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	5.8 kg 12.7 lbs
AFS1406UCS	14x6.5	Aluforce	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	5.8 kg 12.9 lbs
AFS1410UCS	14x10	Aluforce	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	6,3 kg 14.0 lbs
AFS1412UCS	14x12	Aluforce	CC Machined High grade aluminum	12	UCS		Stainless steel cable	12	Remo Falam	6,6 kg 14.7 lbs
AFS1210UCT	12x10	Aluforce	CC Machined High grade aluminum	10	UCT	Steel Wires	Stainless steel cable	10	Remo Falam	6,1 kg 3.5 lbs
AFS1310UCT	13x10	Aluforce	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	6,5 kg 14.4 lbs
AFS1406UCT	14x6.5	Aluforce	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	6,6 kg 14.6 lbs
AFS1410UCT	14x10	Aluforce	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	7,1 kg 15.6 lbs
AFS1412UCT	14x12	Aluforce	CC Machined High grade aluminum	12	UCT	Steel Wires	Stainless steel cable	12	Remo Falam	7,4 kg 16.3 lbs

Vancore Nederland b.v.
 Tolhuswei 7a - 9
 8501 ZP JOURE - The Netherlands
 Tel: +31 513 415127
 Fax: +31 513 413038
 Email: info@vancore.nl