

Productinformation

Marimbas

IMAGE OF CCM 8002 NOT YET AVAILABLE


CCM 8002

4.5 octave F2 - C7 Honduran Rosewood

Custom Classic Series 8000 Series.

The Engineers of Vancore faced a great challenge designing this outstanding professional top quality 8000 series marimbas. As leading fact they choose for a pure and natural approach, combined with the latest technology available.

These marimbas featuring the finest in traditional craftsmanship and the very latest in material and design technology. First choice materials, equipped with our exclusive VCL lifting system for effortless height adjustment and a beautiful design, represents the exclusive quality of Vancore keyboard malletinstruments!



Bars | Honduran Rosewood

Material: Premium Selected Honduran Rosewood | Dalbergia Stevensoni

As a premium qualified manufacturer, we use the best available wood for manufacturing these premium marimbas. Carefully selection, dedicated drying procedures, CC drilling and shaping and precisely computer controlled tuning methods are ingredients leading to a combination of perfection and skills.

Bar Sizes | 71x27 | 65x27 | 58x25 | 53x25 | 48x25 | 44x23 | 40x21 mm



Floating Bar Suspension | FBS

Most notable is the new Floating Ba Suspension System (FBS). This proprietary bar support system actually increases bar resonance by 20%! Precision laser cut bar support arms are angled to insure that each and every bar is supported exactly to the nodal point.



Our designers created a new and highly innovative concept to avoid the common and major problem with layers. On top of that, the barsuspension and layer are integrated. One solution, one unique

Endpieces

To realize stable and precise constructions, we use high grade steel, and European Ashwood components. Rails and endpiece are very carefully designed to make that perfect



Height adjustable through our patented






IMAGE OF CCM 8002 NOT YET **AVAILABLE**



After years of research our R&D team has chosen rectangular bass resonators wich produce optimum resonance and projection in lower registers. These resonators are tunable now! Our skilled tuning experts expertly tune each bar to exacting pitch standards.



Casters

All stands are equiped with double rolled casters for easy operation. Carefully choosed casters come with high grade bearings and brakes.

Resonator Clamp System

Vancore resonators are individually hand tuned and Vancore resonators are individually hand tuned and assembled using an exclusive mounting system. This system eliminates every kind of rattle. Unlike other resonators, welded or riveted, our system employs minimal contact technology, this eliminates potential problems.





With just a 'press on the pedal' the height of the instrument can be easily adjusted. Comfort lifting resulting in a total free frame suspension, is realized by using durable gassprings ro create an optimum of playing comfort.

Lifting System | VCL



VANCORE 8000 SERIES: The ultimate Marimba in sound, construction and professional approach!

Content	Box Sizes		Weight	
	CM	INCH	KG	LBS
Frame Endpiece	118 x 29 x 102	46.5 x 11.4 x 40.2	95	139
Frame Resonators	143 x 84 x 45	56.3 x 33.1 x 17.7	85	187
Resonators Bass C-G	53 x 47 x 88	20.9 x 18.5 x 34.6	17.5	38.5
Resonators Bass C#-G#	53 x 47 x 88	20.9 x 18.5 x 34.6	17.6	38.6
	Frame Endpiece Frame Resonators Resonators Bass C-G	CM Frame Endpiece 118 x 29 x 102 Frame Resonators 143 x 84 x 45 Resonators Bass C-G 53 x 47 x 88	CM INCH Frame Endpiece 118 x 29 x 102 46.5 x 11.4 x 40.2 Frame Resonators 143 x 84 x 45 56.3 x 33.1 x 17.7 Resonators Bass C-G 53 x 47 x 88 20.9 x 18.5 x 34.6	CM INCH KG Frame Endpiece 118 x 29 x 102 46.5 x 11.4 x 40.2 95 Frame Resonators 143 x 84 x 45 56.3 x 33.1 x 17.7 85 Resonators Bass C-G 53 x 47 x 88 20.9 x 18.5 x 34.6 17.5






Total number of boxe



A = 228 cm | 89.6 inch B = 102.5 cm | 40.4 inch C = 38 cm | 15 inch

D = Height adjustment from 94 cm up to 102 cm Height adjustment from 37 inch up to 40.2 inch



Vancore Nederland b.v. Tolhuswei 7a - 9 8501 ZP JOURE - The Netherlands
Tel: +31 513 415127
Email: info@vancore.nl www.vancore.com

RANGE OVERVIEW